



 Dekeghel nv
 Overnelleweg 29
 B-1740 Ternat
 Tel +32(0)24606022
 Fax +32(0)26692222
 www.dekeghel.be info@dekeghel.be

MIN. PASSAGE FOR DISASSEMBLED OVEN 850x2150

OVEN MODEL	BACKING CHAMBER DIMENSION DxC	M ²	A	B	F	G	CAL. NOZZLE GPH	OVERFLOW FOR BURNER	ELECTRICAL POWER	HOURLY CONSUMPTION M ³ GAS /H	WEIGHT KG
SCT1-4C/4.5	0.70 X 1.60	4.5	1,37	2,26	0,77	∅160	40,000 1,20	1" GAS	1.5 KW	2,5	1950
SCT1-4C/5.6	0.70 X 2.00	5.6	1,37	2,66	0,77	∅160	50,000 1,50	3/8" OIL	1.5 KW	3,2	2250
SCT2-4C/8	1.20 X 1.60	7.7	1,85	2,26	0,77	∅200	65,000 1,75	1"1/4 GAS	2.5 KW	4,2	2750
SCT2-4C/10	1.20 X 2.00	10.0	1,85	2,66	0,77	∅200	75,000 2,25		3.0 KW	4,8	3250
SCT2-4C/12	1.20 X 2.50	12.0	1,85	3,16	0,77	∅200	85,000 2,50	3/8" OIL	3.0 KW	5,5	3800
SCT3-4C/11	1.80 X 1.60	11.5	2,46	2,26	0,84	∅200	90,000 2,25	1"1/2 GAS	3.0 KW	5,8	3350
SCT3-4C/14	1.80 X 2.00	14.4	2,46	2,66	0,84	∅200	95,000 3,00		3.0 KW	6,1	3850
SCT3-4C/18	1.80 X 2.50	18.0	2,46	3,16	0,84	∅200	120,000 4,00	3/8" OIL	5.0 KW	7,7	4350

6	STEAM EXHAUST PIPE
5	COMBUSTION EXHAUST PIPE
4	ARRIVAL/RETURN GAS - DIESEL
3	WATER DESCHARGE (EARTHING)
2	WATER INTAKE (H.2150 - ∅1/2")
1	POWER SUPPLY CONNECTION (H.2150)
POS.	DENOMINATION

**TECHNICAL FEATURES
THERMAL CYCLED OVEN
4 CHAMBERS**

	DATA 09.05.05	UISTO .	DATA 19.11.01
	BOLL. 1045	DIS. . SA.	DIS.N° POS.331-2

Sistema Qualita' DISEGNO DI PROPRIETA' RISERVATA E NON PUO' ESSERE RIPRODOTTO O MOSTRATO A TERZI AI SENSI DI LEGGE